



The American Journal of CLINICAL NUTRITION

VOLUME 83 NUMBER 1 JANUARY 2006

Editorials

- 1 Oxidized LDL and abdominal obesity: a key to understanding the metabolic syndrome. *RH Knopp and P Paramsothy*
See corresponding article on page 30.
- 3 Standardization of waist circumference reference data. *J Wang*
See corresponding article on page 36.

Commentary

- 5 Is it time to reevaluate methyl balance in humans? *LM Stead, JT Brosnan, ME Brosnan, DE Vance, and RL Jacobs*

Original Research Communications

Obesity and eating disorders

- 11 Reductions in portion size and energy density of foods are additive and lead to sustained decreases in energy intake. *BJ Rolls, LS Roe, and JS Meengs*
- 18 Calcium supplementation for 1 y does not reduce body weight or fat mass in young girls. *JK Lorenzen, C Mølgaard, KF Michaelsen, and A Astrup*

Lipids

- 24 Exercise and postprandial lipemia: effect of continuous compared with intermittent activity patterns. *M Miyashita, SF Burns, and DJ Stensel*

Cardiovascular disease risk

- 30 Circulating oxidized LDL is associated with increased waist circumference independent of body mass index in men and women. *T Weinbrenner, H Schröder, V Escurriol, M Fito, R Elosua, J Vila, J Marrugat, and M-I Covas*
See corresponding editorial on page 1.
See corresponding CME exam on page 181.
- 36 Clustering of metabolic abnormalities in adolescents with the hypertriglyceridemic waist phenotype. *A Esmailzadeh, P Mirmiran, and F Azizi*
See corresponding editorial on page 3.
See corresponding CME exam on page 183.
- 47 Body mass index and waist circumference both contribute to differences in insulin-mediated glucose disposal in nondiabetic adults. *HMF Farin, F Abbasi, and GM Reaven*

Nutritional status, dietary intake, and body composition

- 52 A daily intake of approximately 6 μg vitamin B-12 appears to saturate all the vitamin B-12-related variables in Danish postmenopausal women. *MV Bor, E Lydeking-Olsen, J Møller, and E Nexø*
- 59 Zinc absorption in Guatemalan schoolchildren fed normal or low-phytate maize. *M Mazariegos, KM Hambidge, NF Krebs, JE Westcott, S Lei, GK Grunwald, R Campos, B Barahona, V Raboy, and NW Solomons*
- 65 Estimating body composition in children with Duchenne muscular dystrophy: comparison of bioelectrical impedance analysis and skinfold-thickness measurement. *E Mok, L Béghin, P Gachon, C Daubrosse, J-E Fontan, J-M Cuisset, F Gottrand, and R Hankard*
- 70 Body composition in children in remission from acute lymphoblastic leukemia. *AJ Murphy, JCK Wells, JE Williams, MS Fewtrell, PSW Davies, and DK Webb*
- 75 Serum 25-hydroxyvitamin D concentrations in girls aged 4–8 y living in the southeastern United States. *EM Stein, EM Laing, DB Hall, DB Hausman, MG Kimlin, MA Johnson, CM Modlesky, AR Wilson, and RD Lewis*

Energy and protein metabolism

- 82 Aromatic amino acid requirements in healthy men measured by indicator amino acid oxidation. *JW-C Hsu, LA Goonewardene, M Rafii, RO Ball, and PB Pencharz*



(continued)

- 89 Ghrelin and glucagon-like peptide 1 concentrations, 24-h satiety, and energy and substrate metabolism during a high-protein diet and measured in a respiration chamber. *MPGM Lejeune, KR Westerterp, TCM Adam, ND Luscombe-Marsh, and MS Westerterp-Plantenga*

Vitamins, minerals, and phytochemicals

- 95 Supplementation with mixed tocopherols increases serum and blood cell γ -tocopherol but does not alter biomarkers of platelet activation in subjects with type 2 diabetes. *MW Clarke, NC Ward, JHY Wu, JM Hodgson, IB Puddey, and KD Croft*
- 103 Iron absorption from soybean ferritin in nonanemic women. *B Lönnerdal, A Bryant, X Liu, and EC Theil*
- 108 Iodine supplementation improves cognition in iodine-deficient schoolchildren in Albania: a randomized, controlled, double-blind study. *MB Zimmermann, K Connolly, M Bozo, J Bridson, F Rohner, and L Grimci*

Nutritional support

- 115 Metabolic effects of glutamine and glutamate ingestion in healthy subjects and in persons with chronic obstructive pulmonary disease. *EPA Rutten, MPKJ Engelen, EFM Wouters, AMWJ Schols, and NEP Deutz*

Aging

- 124 Whole-grain intake is inversely associated with the metabolic syndrome and mortality in older adults. *NR Sahyoun, PF Jacques, XL Zhang, W Juan, and NM McKeown*

Nutritional epidemiology and public health

- 132 Is restrained eating a risk factor for weight gain in a general population? *B de Lauzon-Guillain, A Basdevant, M Romon, J Karlsson, J-M Borys, MA Charles, and The FLVS Study Group*
- 139 Influence of individual- and area-level measures of socioeconomic status on obesity, unhealthy eating, and physical inactivity in Canadian adolescents. *I Janssen, WF Boyce, K Simpson, and W Pickett*

Bone metabolism

- 146 Relation of body composition, fat mass, and serum lipids to osteoporotic fractures and bone mineral density in Chinese men and women. *Y-H Hsu, SA Venners, HA Terwedow, Y Feng, T Niu, Z Li, N Laird, JD Brain, SR Cummings, ML Bouxsein, CJ Rosen, and X Xu*
- 155 Minimal enteral feeding within 3 d of birth in prematurely born infants with birth weight ≤ 1200 g improves bone mass by term age. *HA Weiler, SC Fitzpatrick-Wong, JM Schellenberg, DE Fair, UR McCloy, RR Veitch, HR Kovacs, and MM Seshia*

Dietary supplements

- 163 Modification of lymphocyte DNA damage by carotenoid supplementation in postmenopausal women. *X Zhao, G Aldini, EJ Johnson, H Rasmussen, K Kraemer, H Woolf, N Musaeus, NI Krinsky, RM Russell, and K-J Yeum*

Letters to the Editor

- 170 Racial differences in calcium retention in response to dietary salt. *TB Drüeke and B Lacour*
- 171 Reply to TB Drüeke and B Lacour. *CM Weaver, K Wigertz, M Peacock, C Palacios, LA Jackman, BR Martin, LD McCabe, GP McCabe, and JH Pratt*
- 171 The association between plasma homocysteine and holo-transcobalamin and the transcobalamin 776C \rightarrow G polymorphism is influenced by folate in the absence of supplementation and fortified diet. *J-L Guéant, L Xiaohong, S Ortiou, P Gérard, S Shue, and F Namour*
- 173 Metabolic abnormalities identified by anthropometric measures in elderly men. *A Esmailzadeh, P Mirmiran, and F Azizi*
- 173 Reply to A Esmailzadeh et al. *SG Wannamethee, AG Shaper, RW Morris, and PH Whincup*
- 174 **Erratum**

Book Reviews

- 175 *Childhood Obesity: Prevention and Treatment*, 2nd ed, edited by J Parizkova and AP Hills. *Reviewed by WH Dietz*
- 175 *Clinical Nutrition, Nutrition Society Textbook Series*, edited by MJ Gibney, M Elia, O Ljungqvist, and J Dowsett. *Reviewed by AS Truswell*
- 177 **With Appreciation**



(continued)

Continuing Medical Education

- 181 Weinbrenner T, Schröder H, Escurriol V, et al. Circulating oxidized LDL is associated with increased waist circumference independent of body mass index in men and women.
- 183 Esmailzadeh A, Mirmiran P, Azizi F. Clustering of metabolic abnormalities in adolescents with the hypertriglyceridemic waist phenotype.
- 185 CME Participant Response Form
 - i **ASN Announcements**
 - ii **Calendar of Events**