



The American Journal of  
**CLINICAL NUTRITION**

VOLUME 84 NUMBER 1 JULY 2006

### Editorials

- 1 n-3 Fatty acids and cardiovascular disease: navigating toward recommendations. *RJ Deckelbaum and SR Akabas*  
**See corresponding article on page 5.**
- 3 Nonalcoholic fatty liver, nonalcoholic steatohepatitis, ectopic fat, and the glycemic index. *DJA Jenkins, AR Josse, R Labelle, A Marchie, LSA Augustin, and CWC Kendall*  
**See corresponding article on page 136.**

### Review Articles

- 5 n-3 Fatty acids from fish or fish-oil supplements, but not  $\alpha$ -linolenic acid, benefit cardiovascular disease outcomes in primary- and secondary-prevention studies: a systematic review. *C Wang, WS Harris, M Chung, AH Lichtenstein, EM Balk, B Kupelnick, HS Jordan, and J Lau*  
**See corresponding editorial on page 1.**
- 18 Estimation of optimal serum concentrations of 25-hydroxyvitamin D for multiple health outcomes. *HA Bischoff-Ferrari, E Giovannucci, WC Willett, T Dietrich, and B Dawson-Hughes*

### Original Research Communications

#### Obesity and eating disorders

- 29 Lifestyle modifies obesity-associated risk of cardiovascular disease in a genetically homogeneous population. *ME Jørgensen, K Borch-Johnsen, and P Bjerregaard*

#### Lipids

- 37 Factorial study of the effect of n-3 fatty acid supplementation and atorvastatin on the kinetics of HDL apolipoproteins A-I and A-II in men with abdominal obesity. *DC Chan, GF Watts, MN Nguyen, and PHR Barrett*
- 44 Conversion of  $\alpha$ -linolenic acid in humans is influenced by the absolute amounts of  $\alpha$ -linolenic acid and linoleic acid in the diet and not by their ratio. *PLL Goyens, ME Spilker, PL Zock, MB Katan, and RP Mensink*

#### Cardiovascular disease risk

- 54 Palm and partially hydrogenated soybean oils adversely alter lipoprotein profiles compared with soybean and canola oils in moderately hyperlipidemic subjects. *S Vega-López, LM Ausman, SM Jalbert, AT Erkkilä, and AH Lichtenstein*
- 63 Effects of chili consumption on postprandial glucose, insulin, and energy metabolism. *KDK Ahuja, IK Robertson, DP Geraghty, and MJ Ball*

#### Nutritional status, dietary intake, and body composition

- 70 Relations of glycemic index and glycemic load with plasma oxidative stress markers. *Y Hu, G Block, EP Norkus, JD Morrow, M Dietrich, and M Hudes*  
**See corresponding CME exam on page 266.**
- 77 Short-term meal replacements followed by dietary macronutrient restriction enhance weight loss in polycystic ovary syndrome. *LJ Moran, M Noakes, PM Clifton, GA Wittert, G Williams, and RJ Norman*
- 88 Choline deficiency increases lymphocyte apoptosis and DNA damage in humans. *K-A da Costa, MD Niculescu, CN Craciunescu, LM Fischer, and SH Zeisel*
- 95 Content of redox-active compounds (ie, antioxidants) in foods consumed in the United States. *BL Halvorsen, MH Carlsen, KM Phillips, SK Bohn, K Holte, DR Jacobs Jr, and R Blomhoff*

#### Carbohydrate metabolism and diabetes

- 136 Dietary glycemic index and liver steatosis. *S Valtueña, N Pellegrini, D Ardigo, D Del Rio, F Numeroso, F Scazzina, L Monti, I Zavaroni, and F Brighenti*  
**See corresponding editorial on page 3.**  
**See corresponding CME exam on page 268.**



(continued)

## Energy and protein metabolism

- 143 Glycine production in severe childhood undernutrition. *F Jahoor, A Badaloo, M Reid, and T Forrester*

## Vitamins, minerals, and phytochemicals

- 150 Iron absorption by healthy women is not associated with either serum or urinary prohepcidin. *KB Hadley, LK Johnson, and JR Hunt*
- 156 Red blood cell folate concentrations increase more after supplementation with [6S]-5-methyltetrahydrofolate than with folic acid in women of childbearing age. *Y Lamers, R Prinz-Langenohl, S Brämswig, and K Pietrzik*
- 162 Calcium absorption is not increased by caseinophosphopeptides. *B Teucher, G Majsak-Newman, JR Dainty, D McDonagh, RJ FitzGerald, and SJ Fairweather-Tait*
- 167 The rate of intestinal absorption of natural food folates is not related to the extent of folate conjugation. *DJ McKillop, H McNulty, JM Scott, JM McPartlin, JJ Strain, I Bradbury, J Girvan, L Hoey, R McCreedy, J Alexander, BK Patterson, M Hannon-Fletcher, and K Pentieva*
- 174 Elevated vitamin A intake and serum retinol in preadolescent children with cystic fibrosis. *RC Graham-Maar, JI Schall, N Stettler, BS Zemel, and VA Stallings*

## Pregnancy and lactation

- 183 High gestational weight gain does not improve birth weight in a cohort of African American adolescents. *JN Nielsen, KO O'Brien, FR Witter, S-C Chang, J Mancini, MS Nathanson, and LE Caulfield*
- 190 Fatty acid composition of human milk in atopic Danish mothers. *L Lauritzen, L Brydensholt Halkjær, TB Mikkelsen, SF Olsen, KF Michaelsen, L Loland, and H Bisgaard*

## Immunity

- 197 In vivo arginine production and intravascular nitric oxide synthesis in hypotensive sepsis. *S Villalpando, J Gopal, A Balasubramanyam, VP Bandi, K Guntupalli, and F Jahoor*

## AIDS and other wasting syndromes

- 204 Physiologic growth hormone replacement improves fasting lipid kinetics in patients with HIV lipodystrophy syndrome. *S D'Amico, J Shi, RV Sekhar, F Jahoor, KJ Ellis, K Rehman, J Willis, M Maldonado, and A Balasubramanyam*
- 212 Effect of maternal and neonatal vitamin A supplementation and other postnatal factors on anemia in Zimbabwean infants: a prospective, randomized study. *MF Miller, RJ Stoltzfus, PJ Iliff, LC Malaba, NV Mbuya, the Zimbabwe Vitamin A for Mothers and Babies Project (ZVITAMBO) Study Group, and JH Humphrey*

## Nutritional epidemiology and public health

- 223 Dietary long-chain n-3 fatty acids of marine origin and serum C-reactive protein concentrations are associated in a population with a diet rich in marine products. *K Niu, A Hozawa, S Kuriyama, K Ohmori-Matsuda, T Shimazu, N Nakaya, K Fujita, I Tsuji, and R Nagatomi*
- 230 Comparison of energy expenditure estimates from 4 physical activity questionnaires with doubly labeled water estimates in postmenopausal women. *S Mahabir, DJ Baer, C Giffen, BA Clevidence, WS Campbell, PR Taylor, and TJ Hartman*
- 237 Combined effects of dietary fat and birth weight on serum cholesterol concentrations: the Hertfordshire Cohort Study. *SM Robinson, SF Batelaan, HE Syddall, A Aihie Sayer, EM Dennison, HJ Martin, DJ Barker, C Cooper, and the Hertfordshire Cohort Study Group*

## Gene-nutrient interactions

- 245 Short-term vegetable intake by young children classified by 6-n-propylthiouracil bitter-taste phenotype. *KI Bell and BJ Tepper*

## Dietary supplements

- 252 Concentrated red grape juice exerts antioxidant, hypolipidemic, and antiinflammatory effects in both hemodialysis patients and healthy subjects. *P Castilla, R Echarri, A Dávalos, F Cerrato, H Ortega, JL Teruel, MF Lucas, D Gómez-Coronado, J Ortuño, and MA Lasunción*

- 263 **Errata**



(continued)

## **Book Review**

- 265 *Sports Nutrition—Vitamins and Trace Elements*, 2nd ed, edited by Judy A Driskell and Ira Wolinsky. *Reviewed by C Alan Titchenal*

## **Continuing Medical Education**

- 266 Hu Y et al. Relations of glycemic index and glycemic load with plasma oxidative stress markers.
- 268 Valtueña S et al. Dietary glycemic index and liver steatosis.
- 270 CME Participant Response Form

i **Calendar of Events**