



The American Journal of CLINICAL NUTRITION

VOLUME 87 NUMBER 5 MAY 2008

Perspective

- 1107 Does social class predict diet quality? *N Darmon and A Drewnowski*

Editorials

- 1118 Abdominal fat: does it predict the development of type 2 diabetes? *A Gastaldelli*
See corresponding article on page 1212.
- 1120 Infant feeding and vision. *WC Heird*
See corresponding article on page 1392.

Original Research Communications

Obesity and eating disorders

- 1121 Overweight children find food more reinforcing and consume more energy than do nonoverweight children. *JL Temple, CM Legierski, AM Giacomelli, S-J Salvy, and LH Epstein*
- 1128 Nutritional deficiencies after Roux-en-Y gastric bypass for morbid obesity often cannot be prevented by standard multivitamin supplementation. *C Gasteyger, M Suter, RC Gaillard, and V Giusti*
- 1134 Cognitive behavioral therapy improves diet and body composition in overweight and obese adolescents. *MD Tsiros, N Sinn, L Brennan, AM Coates, JW Walkley, J Petkov, PRC Howe, and JD Buckley*
- 1141 Effect of a dietary-induced weight loss on liver enzymes in obese subjects. *C Gasteyger, TM Larsen, F Vercausse, and A Astrup*
- 1148 Television viewing and abdominal obesity in young adults: is the association mediated by food and beverage consumption during viewing time or reduced leisure-time physical activity? *VJ Cleland, MD Schmidt, T Dwyer, and AJ Venn*

Lipids

- 1156 Plasma eicosapentaenoic acid is inversely associated with severity of depressive symptomatology in the elderly: data from the Bordeaux sample of the Three-City Study. *C Féart, E Peuchant, L Letenneur, C Samieri, D Montagnier, A Fourier-Réglat, and P Barberger-Gateau*
- 1163 The effect of salatrim, a low-calorie modified triacylglycerol, on appetite and energy intake. *LB Sørensen, HT Cueto, MT Andersen, C Bitz, JJ Holst, JF Rehfeld, and A Astrup*
- 1170 Correlation between changes in blood fatty acid composition and visual sustained attention performance in children with inattention: effect of dietary n-3 fatty acids containing phospholipids. *N Vaisman, N Kaysar, Y Zaruk-Adasha, D Pelled, G Brichon, G Zwingelstein, and J Bodenec*
- 1181 Comparative effects of intraduodenal infusions of lauric and oleic acids on antropyloroduodenal motility, plasma cholecystokinin and peptide YY, appetite, and energy intake in healthy men. *KL Feltrin, TJ Little, JH Meyer, M Horowitz, T Rades, J Wishart, and C Feinle-Bisset*

Cardiovascular disease risk

- 1188 High-glycemic index carbohydrate increases nuclear factor- κ B activation in mononuclear cells of young, lean healthy subjects. *S Dickinson, DP Hancock, P Petocz, A Ceriello, and J Brand-Miller*
- 1194 Twenty-four-hour endocrine and metabolic profiles following consumption of high-fructose corn syrup-, sucrose-, fructose-, and glucose-sweetened beverages with meals. *KL Stanhope, SC Griffen, BR Bair, MM Swarbrick, NL Keim, and PJ Havel*
- 1204 Betel nut chewing is associated with increased risk of cardiovascular disease and all-cause mortality in Taiwanese men. *W-Y Lin, T-Y Chiu, L-T Lee, C-C Lin, C-Y Huang, and K-C Huang*



(continued)

Nutritional status, dietary intake, and body composition

- 1212 Relation of central adiposity and body mass index to the development of diabetes in the Diabetes Prevention Program. *GA Bray, KA Jablonski, WY Fujimoto, E Barrett-Connor, S Haffner, RL Hanson, JO Hill, V Hubbard, A Kriska, E Stamm, and FX Pi-Sunyer for the Diabetes Prevention Program Research Group*
See corresponding editorial on page 1118.
- 1219 Energy intake is associated with endotoxemia in apparently healthy men. *J Amar, R Burcelin, JB Ruidavets, PD Cani, J Fauvel, MC Alessi, B Chamontin, and J Ferrières*
- 1224 Current dietary zinc intake has a greater effect on fractional zinc absorption than does longer term zinc consumption in healthy adult men. *CS Chung, J Stookey, D Dare, R Welch, TQ Nguyen, R Roehl, JM Peerson, JC King, and KH Brown*
- 1230 Energy density of the diet and change in body fatness from childhood to adolescence; is there a relation? *TA McCaffrey, KL Rennie, MA Kerr, JM Wallace, MP Hannon-Fletcher, WA Coward, SA Jebb, and MBE Livingstone*
- 1238 Effect of weight loss and ketosis on postprandial cholecystokinin and free fatty acid concentrations. *S Chearskul, E Delbridge, A Shulkes, J Proietto, and A Kriketos*
- 1247 The validity and reproducibility of food-frequency questionnaire-based total antioxidant capacity estimates in Swedish women. *S Rautiainen, M Serafini, R Morgenstern, RL Prior, and A Wolk*

Carbohydrate metabolism and diabetes

- 1254 Caffeinated coffee consumption impairs blood glucose homeostasis in response to high and low glycemic index meals in healthy men. *LL Moisey, S Kacker, AC Bickerton, LE Robinson, and TE Graham*
- 1262 Effect of cinnamon and turmeric on urinary oxalate excretion, plasma lipids, and plasma glucose in healthy subjects. *M Tang, DE Larson-Meyer, and M Liebman*

Energy and protein metabolism

- 1268 Twenty-four-hour analysis of elevated energy expenditure after physical activity in a metabolic chamber: models of daily total energy expenditure. *K Ohkawara, S Tanaka, K Ishikawa-Takata, and I Tabata*
- 1277 Reproducibility and power of ad libitum energy intake assessed by repeated single meals. *NT Gregersen, A Flint, C Bitz, JE Blundell, A Raben, and A Astrup*
- 1282 Glutamine is an important precursor for de novo synthesis of arginine in humans. *GC Lighthart-Melis, MCG van de Poll, PG Boelens, CHC Dejong, Nicolaas EP Deutz, and PAM van Leeuwen*

Vitamins, minerals, and phytochemicals

- 1290 Food selection based on total antioxidant capacity can modify antioxidant intake, systemic inflammation, and liver function without altering markers of oxidative stress. *S Valtueña, N Pellegrini, L Franzini, MA Bianchi, D Ardigò, D Del Rio, P Piatti, F Scazzina, I Zavaroni, and F Brighenti*
- 1298 Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. *S Péneau, L Dauchet, A-C Vergnaud, C Estaquio, E Kesse-Guyot, S Bertrais, P Latino-Martel, S Hercberg, and P Galan*
- 1306 Plasma tocopherols and risk of cognitive impairment in an elderly Italian cohort. *G Ravaglia, P Forti, A Lucicesare, N Pisacane, E Rietti, F Mangialasche, R Cecchetti, C Patterson, and P Mecocci*
- 1314 Pharmacokinetics of the soybean isoflavone daidzein in its aglycone and glucoside form: a randomized, double-blind, crossover study. *CE Rüfer, A Bub, J Möseneder, P Winterhalter, M Stürtz, and SE Kulling*
- 1324 Identification and quantitation of cobalamin and cobalamin analogues in human feces. *RH Allen and SP Stabler*
- 1336 Adaptation in human zinc absorption as influenced by dietary zinc and bioavailability. *JR Hunt, JM Beiseigel, and LK Johnson*

Pregnancy and lactation

- 1346 Nutrient and food group intakes of women with and without bulimia nervosa and binge eating disorder during pregnancy. *AM Siega-Riz, M Haugen, HM Meltzer, A Von Holle, R Hamer, L Torgersen, C Knopf-Berg, T Reichborn-Kjennerud, and CM Bulik*

Growth, development, and pediatrics

- 1356 How pre- and postnatal risk factors modify the effect of rapid weight gain in infancy and early childhood on subsequent fat mass development: results from the Multicenter Allergy Study 90. *N Karaolis-Danckert, AE Buyken, M Kulig, A Kroke, J Forster, W Kamin, A Schuster, C Hornberg, T Keil, RL Bergmann, U Wahn, and S Lau*



(continued)

- 1365 Assessment of the safety, tolerance, and protective effect against diarrhea of infant formulas containing mixtures of probiotics or probiotics and prebiotics in a randomized controlled trial. *JP Chouraqui, D Grathwohl, JM Labaune, JM Hascoet, I de Montgolfier, M Leclaire, M Giarre, and P Steenhout*

Digestive and liver diseases

- 1374 Pathways underlying iron accumulation in human nonalcoholic fatty liver disease. *E Aigner, I Theurl, M Theurl, D Lederer, H Haufe, O Dietze, M Strasser, C Datz, and G Weiss*

Cancer

- 1384 Carbohydrate intake, glycemic index, glycemic load, and risk of postmenopausal breast cancer in a prospective study of French women. *M Lajous, M-C Boutron-Ruault, A Fabre, F Clavel-Chapelon, and I Romieu*

Nutritional epidemiology and public health

- 1392 Effect of breastfeeding and sociodemographic factors on visual outcome in childhood and adolescence. *AR Rudnicka, CG Owen, M Richards, MEJ Wadsworth, and DP Strachan*
See corresponding editorial on page 1120.
- 1400 Multivitamin-multimineral supplement use and mammographic breast density. *S Bérubé, C Diorio, and J Brisson*
- 1405 Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. *FL Crowe, TJ Key, PN Appleby, RC Travis, K Overvad, MU Jakobsen, NF Johnsen, A Tjønneland, J Linseisen, S Rohrmann, H Boeing, T Pischon, A Trichopoulou, P Lagiou, D Trichopoulos, C Sacerdote, D Palli, R Tumino, V Krogh, HB Bueno-de-Mesquita, LA Kiemeny, M-D Chirlaque, E Ardanaz, M-J Sánchez, N Larrañaga, CA González, JR Quirós, J Manjer, E Wirfält, P Stattin, G Hallmans, K-T Khaw, S Bingham, P Ferrari, N Slimani, M Jenab, and E Riboli*
- 1414 Dietary patterns and 15-y risks of major coronary events, diabetes, and mortality. *EJ Brunner, A Mosdøl, DR Witte, P Martikainen, M Stafford, MJ Shipley, and MG Marmot*
- 1422 Validation of soy protein estimates from a food-frequency questionnaire with repeated 24-h recalls and isoflavonoid excretion in overnight urine in a Western population with a wide range of soy intakes. *K Jaceldo-Siegl, GE Fraser, J Chan, A Franke, and J Sabaté*
- 1428 Dietary acrylamide intake and the risk of renal cell, bladder, and prostate cancer. *JG Hogervorst, LJ Schouten, EJ Konings, RA Goldbohm, and PA van den Brandt*
- 1439 Dietary flavonoid intake and non-Hodgkin lymphoma risk. *CL Frankenfeld, JR Cerhan, W Cozen, S Davis, M Schenk, LM Morton, P Hartge, and MH Ward*
- 1446 Plasma pyridoxal 5'-phosphate in the US population: the National Health and Nutrition Examination Survey, 2003–2004. *MS Morris, MF Picciano, PF Jacques, and J Selhub*
- 1455 Prospective study of alcohol consumption and metabolic syndrome. *I Baik and C Shin*
- 1464 Ethnic and socioeconomic differences in variability in nutritional biomarkers. *AK Kant and BI Graubard*
- 1472 Assessment of child feeding practices using a summary index: stability over time and association with child growth in urban Madagascar. *MM Moursi, Y Martin-Prével, S Eymard-Duvernay, G Capon, S Trèche, B Maire, and F Delpuech*
- 1480 Effects of diet, physical activity and performance, and body weight on incident gout in ostensibly healthy, vigorously active men. *PT Williams*
- 1488 Dietary patterns and C-reactive protein in Japanese men and women. *A Nanri, D Yoshida, T Yamaji, T Mizoue, R Takayanagi, and S Kono*

Gene-nutrient interactions

- 1497 Inflammation markers are modulated by responses to diets differing in postprandial insulin responses in individuals with the metabolic syndrome. *P Kallio, M Kolehmainen, DE Laaksonen, L Pulkkinen, M Atalay, H Mykkänen, M Uusitupa, K Poutanen, and L Niskanen*
- 1504 Gene polymorphisms of oxidative stress enzymes: prediction of elderly renutrition. *EE Fabre, A Raynaud-Simon, J-L Golmard, M Hebert, X Dulcire, M Succari, J Myara, D Durand, and V Nivet-Antoine*
- 1513 Vitamin K₁ intake is associated with higher bone mineral density and reduced bone resorption in early postmenopausal Scottish women: no evidence of gene-nutrient interaction with apolipoprotein E polymorphisms. *HM Macdonald, FE McGuigan, SA Lanham-New, WD Fraser, SH Ralston, and DM Reid*



(continued)

Dietary supplements

- 1521 The influence of supplemental lutein and docosahexaenoic acid on serum, lipoproteins, and macular pigmentation. *EJ Johnson, H-Y Chung, SM Caldarella, and DM Snodderly*
- 1530 Zinc-induced suicidal erythrocyte death. *V Kiedaisch, A Akel, OM Niemoeller, T Wieder, and F Lang*

Letters to the Editor

- 1535 Intergenerational obesity involves both the father and the mother. *TJ Cole, C Power, and GE Moore*
- 1536 Reply to TJ Cole et al. *DA Lawlor, G Davey Smith, and M Kivimäki*
- 1537 Calculation of steady state conditions and elimination kinetics of red blood cell folate in women of childbearing age after daily supplementation with various forms and doses of folate. *EP Quinlivan*
- 1538 Reply to EP Quinlivan. *Y Lamers and K Pietrzik*
- 1539 Ensuring the quality of vitamin A capsules used in supplementation programs. *V Mannar and A Court*
- 1540 Pentadecanoic acid (15:0), milk, and ischemic heart disease. *P Elwood, A Fehily, J Pickering, and I Givens*
- 1541 Reply to P Elwood et al. *Q Sun and FB Hu*
- 1541 **Erratum**

Book Review

- 1542 *Epidemiologic Principles and Food Safety*, edited by Tamar Lasky. *Reviewed by CW Hedberg*

Protein Summit 2007: Exploring the Impact of High-Quality Protein on Optimal Health

- 1551S Introduction to Protein Summit 2007: Exploring the Impact of High-Quality Protein on Optimal Health. *NR Rodriguez and PJ Garlick*
- 1554S Current protein intake in America: analysis of the National Health and Nutrition Examination Survey, 2003–2004. *VL Fulgoni III*
- 1558S Protein, weight management, and satiety. *D Paddon-Jones, E Westman, RD Mattes, RR Wolfe, A Astrup, and M Westerterp-Plantenga*
- 1562S Role of dietary protein in the sarcopenia of aging. *D Paddon-Jones, KR Short, WW Campbell, E Volpi, and RR Wolfe*
- 1567S Amount and type of protein influences bone health. *RP Heaney and DK Layman*
- 1571S Protein in optimal health: heart disease and type 2 diabetes. *DK Layman, P Clifton, MC Gannon, RM Krauss, and FQ Nuttall*
- 1576S Protein quality assessment: impact of expanding understanding of protein and amino acid needs for optimal health. *DJ Millward, DK Layman, D Tomé, and G Schaafsma*
- 1582S Protein Summit: consensus areas and future research. *RR Wolfe*

i **ASN Announcement**

ii **Calendar of Events**